•		(A)	. "			•				<u> </u>		
				SECU		ECRET	ni sess	38-	REPORT			
		* * * * * * * * * * * * * * * * * * *						100000 1000000000000000000000000000000			3	25 X 1
*	COUNTRY	Czechosl	ovakia	•				:	DATE DI	STR. 30	0	t.53
	SUBJECT	Dobrany (Line) Air	field	11.		140		NO. OF	PAGES	14	
	PLACE ACQUIRED								NO. OF		4	25X1
	DATE ACQUIRED E	BY SOURCE	11.1			<u> </u>		· ·	SUPPLEN REPORT			
	DATE OF INI	FORMATION										25X1
			тні	S IS UNE	VALUAT	ED INFOR	MATION					
			THI	S IS UNE	VALUA	ED INFOR	MATION					

- I. IDENTIFICATION DATA:

 Reference is made to Encl. #1, Overlay of GSGS 4416, Sheet U-7, Furth,
 Pinpoint Location of Line Airfield.
 - 1. Main highway: asphalt, ran northeast to Pizen, six meters wide, good condition; medium traffic.
 - 2. Nova Ves /N 49-42, E 13-187 to Dobrany /N 49-39, E 13-187 road: dirt and gravel, six meters wide; east from Line Airfield (Pt. 5, Encl. 1).
 - 3. Radbusa River: two kilometers southeast from Line Airfield (Pt. 5, Encl. 1).
 - 4. Single track RR: standard Czech gauge, two years old, running east into Line Airfield; used for moving equipment to Line Air Base; also hauling stone, cement, tank cars. Trains come to Line Airfield at least three times daily.
 - 5. Line Airfield area: A jet fighter base located two kilometers south-southeast of Line /N 49-42, E 13-167, ½ kilometer southwest of Nova Ves and one kilometer northwest of Dobrany. The overall area of the airfield was four by four kilometers.

25 YEAR RE-REVIEW

SECRET

SECURITY INFORMATION



F		וס	

-2-

II.	SITE LAYOUT & POINTS O	F INTEREST:	Action of the Control		
	Reference is made to E		Sketch of Line	Airfield.	25 X 1
	1 DOT tenles stand	milio mahama ilama	tilenen meteren	da ddamakan	

- 1. POL tank: steel, nine meters long, three meters in diameter, six meters above level of ground, three to four meters below level of ground, sunk in coment, thickness of cement unknown. Tank covered with sodgrass; construction of 25X1 tank in July 1953. Capacity of tank 280,000 lit., four doors, one on each side of tank. No further information.
- 25 Bore sighting range: concrete, 200 x 5 x 30 cm. thick; sighting range under construction in July 1953. 25X1
- 3. Bunker: wooden, 8 x 7 x 2.5 m., tar papered shed type roof, with one meter layer of dirt on top of roof. Two glass windows, one door on south side of bunker, 30 m. distant from an AA gun position (Pt. 4A, Encl. 2), contained one coal stove, 20 bunk type beds, housed 20 men from the AA Unit. No further information.
- 4A. Antiaircraft gun position: dirt emplacement with dirt mound 50 cm. high and 30 cm. wide around one German type, clip fed, four barrel 20 mm. gun. Used one 10 shell clip and one 20 shell clip; position maintained by 20 men from 14th Airfield Battalion on 24 hour alert duty. No further information.
- 4B. Antiaircraft gun position: this position und 25X1 construction in July 1953.
- 4C. Antiaircraft gun position: same as Pt. 4A above except that 12 to 15 men from 20th Airfield Battalion occupied this gun position on 24 hour alert duty. No further information.
- 4D. Antiaircraft gun position: same as Pt. 4A, above, except occupied by 18th Airfield Battalion on 24 hour alert duty. No further information.
- 4E. Antiaircraft gun position: under construction in July 1953.
- 5. Pilot's ready hut: wooden, white, five by five by four meters, plain shingle gable type roof. No further information.
- 6. Taxi-strip: concrete, two or three kilometers long, 25 m. wide, 30 cm. thick, direction of taxi-strip southwest to northeast, good condition, taxi-strip made in square sections, (dimensions unknown).
- 7. Steel mat apron: World War II German type runway material, 100 m. long, 4 m. wide, parked one gas truck, two tractors, one crane, one ambulance, one bus for ten passengers (line taxi). No further information.
- 8. Steel mat apron: World War II German type, runway material, 50 25X1 m. long, 10 m. wide; four jet aircraft parked on this mat which was also used for aircraft for Ready Flight. No further information.
- 9. Runway: concrete, two or three kilometers long, 70 m. wide, 30 cm. thick, direction southwest to northeast, good condition although during winter months the concrete broke and chipped. Small drainage ditches were around complete runway. Dakota (American C-47) two-engine plane, largest aircraft was used to fly high officials to inspect the airfield.

25X1

SECRET



-3-

Heinkel two-engine plane, ARADO, German C-2 type for 25X1 training purposes as well. There were five "red" lights 150 to 200 m. from the edge of both ends of the runway, three green lights 50 to 100 m. from both ends of runway, and yellow and white lights three m. apart around runway. No further information.

- 10. Aircraft pre-flight area: concrete, 150 m. long, 30 m. wide and 30 cm. thick, east to west direction, six jets pre-flighted at a single time. No further information.
- 11. Radio mobile unit: Czechoslovak truck type R/N.

 Radio Mobile Unit was used in conjunction with landing aircraft, two men on 24 hour duty. (Reference to Encl. #3, this report, for sketch of truck).
- 12A. Grass area.
- 12B. Taxi-strip: concrete, 10 m. wide, short cut for aircraft to and from hangars to runway. No further information.
- 13A. Bunker: wooden, seven by six by two meters, tar paper shed type roof, with one layer of dirt. Two glass windows, one door on south side of bunker. Contained bunk type beds, one coal stove, and one table. Housed 12 to 15 men from 20th Airfield Battalion. No further information.
- 13B. Bunker: same as (Pt. 13A, Encl. #2). Housed EM from 18th Airfield Battalion who manned AA position (Pt. 4D, Encl. #2). No further information.
- 14. Guard towers: eight towers around airfield, 10 m. high;
 No further information.
- 15. Ammunition trailer: wooden, dimensions unknown, painted gray, stationary trailer. Stored ammunition for all aircraft on airfield, guarded by one airman with a trained police dog. No further information.
- 16. Barbed wire fence: 50 m. long, 1 m. high; use25X1 for protection of (Pt. 15, Encl. #2). No further information.
- 17. Airfield Road: dirt, 2.5 meters wide, used for short cut road from base to main road between Zbuch \sqrt{N} 49-41, E 13-137 and Vodny Ujezd \sqrt{N} 49-39, E 13-167. No further information.
- 18. Wire fence: corrugated wire with barbed wire on top, two meters high with concrete posts five meters apart, bordered airfield area. No further information.
- 19. Cerveny Ujezd road: asphalt, four meters wide, led from Cerveny Ujezd /N 49-41, E 13-15/ to airfield road (Pt. 17, Encl. 2).

 No further information.
- 20. Gas station: cement, tar paper shed type roof, eight by six by three meters, one man in charge 24 hours a day, two pumps.

 Three storage tanks on north side and three on south side of station, all under ground. No further information.
- 21. Building: stucco brick, 50 x 10 x 5 m under construction in July 1953. No further information. 25X1
- 22. Air field road: asphalt, five meters wide, good condition, led from Cerveny Ujezd to airfield road (Pt. 77, Encl. 2). No further information.



25X1

-4-

- 23. Airfield road: asphalt, four meters wide, good condition, led from Cerveny Ujezd to Line road (Pt. 22, Encl. 2). No further information.
- 24. Motor pool: dirt area, 200 m. long, 55 m. wide, maintained 18th Air Force Battalion vehicles only, such as staff cars, trucks, motorcycles, and tank trucks. Length of this motor pool included that of the adjacent motor pool (Pt. 25, Encl. 2).
- 25. Motor pool: dimensions included above (Pt. 24, Encl. 2), Maintained 14th Air Force Battalion vehicles only, staff cars, trucks, motorcycles and tank trucks. No further information.
- 26. Office building: upper half of building stucco brick, lower half wooden, dark brown, tar paper gable type roof, eight by four by three meters, one civilian, two airmen worked in office. Main office for distribution of fuel, gas and oil, for automotive use only. No further information.
- 27. Billets: green wooden buildings, 50 x 10 x 4 m., tar paper gable type roof, 14th Airfield Battalion EM occupied billets. No further information.
- 28. Base headquarters, operations and administration building: green stucco brick, 100 x 12 x 5 m., tar paper low pitch gable type roof.

 four antennas on each end of building, 25X1 wire leading from window at north end of building to top of four antennas.

 they were two way radio antennas 25X1
- 29. Entrance from Cerveny Ujezd: wooden framed, wire gate, two section, swing gate, 2.5 m. wide, two meters high, one guard, four hours on, eight hours off. No further information.
- 30. Cerveny Ujezd road: asphalt, four meters wide, good condition.
- 31. Airfield road: asphalt, three meters wide.
- 32. Dining hall: green stucco brick, 70 x 70 x 10 m., tile gable type roof, for pilots only.
- 33. Sidewalk: square concrete blocks, good condition.
- 34. Male B.O.Q.: green concrete, 100 x 12 x 5 m., tar paper low pitch gable type roof.
- 35. Airfield road: four meters wide, asphalt, good condition.
- 36. Female B.O.Q.: connected with B.O.Q. (Pt. 34, Encl. 2) door on west end of building. No further information.
- 37. B.O.Q.: green concrete, 100 x 12 x 5 m., tar paper low pitch gable type roof. Single door on west and east end of building. No further information.
- 38. Dog.yard: housed 12 trained, dogs, each dog had a separate area; two by two meters including own shelter area. Dogs belonged to 14th and 18th Airfield Battalion. No further information.
- 39. Water tank: concrete tank, gravel and sod covered tank forming a mound, 50 x 2 x 2.5 m.
- 40. Firing range: cleared sand area, dimensions unknown.



-5-

- 41. Hospital: white stucco brick, 100 x 12 x 5 m., tar paper low pitch gable type roof. Medics slept in west side of hospital. No further information.
- 42A,B,C. Combined offices and sleeping quarters: green concrete stucco, tar paper low pitched gable type roof, "U" shaped building with two ends protruding from ends of building 100 x 12 x 5 m., consisted of three wooden doors, one in each wing. Contained offices and billets of 8th Fighter Regiment. No further information.
 - 42D. Headquarters building: green concrete stucco building, tar paper low pitch gable type roof, headquarters for 18th Airfield Battalion as well as sleeping quarters. (Reference to Encl. 4, this report). No further information.
 - 43. Clay pit: white clay, 200 m. long, 150 m. wide. No further information.
 - 44. Building under construction: stucco brick, construction started summer of 1953. No further information.
 - 45. Two supply buildings: wooden, tar paper gable type roof, 50 x 10 x 5 m. Supplied electrical and plumbing equipment. No further information.
 - 46. Pilot's ready hut: same as (Pt. 5, above). No further information.
 - 47. Hangar road: asphalt, four meters wide, led from road (Pt. 23, Encl. 2) to taxi strip (Pt.6, Encl. 2). No further information.
 - 48. Service stock and personnel equipment buildings: two each, wooden, creesote-soaked building, 50 x 9 x 4 m., tar paper gable type roof, door on north end of each building. Contained flying clothes, heavy shoes, boots, clothing material for mechanics, also aircraft parts supply. Seven airmen worked and slept in supply buildings, one civilian woman worked as counter girl for aircraft parts. No further information.
 - 49. RR line: standard Czechoslovak gauge, led from another spur (Pt. 55, Encl. 2), used for fuel and oil train tank cars only. No further information.
 - 50. Central heating unit: one-story white stucco brick building, 25X1

 50 x 20 x 12 m. three heating boilers were
 in use but was built for more, building still under construction
 in July 1953. this was going to be a heating unit
 for the airfield as well as for the dependents housing area which
 he heard was being constructed near Line. water
 main supposedly ran from central heating unit underground west
 to dependents area near Line. No further information. 25X1
 - 51. Two P.O.L. tanks: same construction, capacity and dimensions as POL tanks (Pt. 1, Encl. 2). These tanks were ready for use in July 1953, No further information.
 - 52. Recreation building: green stucco brick, 50 x 50 x 10 m., tile gable type roof. One steel door on east side of building. Building contained one theater, library, canteen, small gym and a parachute room located at northeast end of building. Used by officers, airmen and civilian personnel. No further information.



-6-

- 53. Communications building: two-story, white stucce brick, 15 25X1 x 10 x 15 m., red tile gable type roof. civilian workers only. Siren at top of building to signal 0900 hours, 1200 hours and 1400 hours, for civilians only; not used as alert siren. No further information.
- 54. Officers and civilians dining hall: one-story, dark brown wooden building, 50 x 10 x 4 m., tar paper low pitch gable type roof.

 One door on south side dining hall. Also contained small canteen for officers and civilians in south end of building. Dining hall in center of building and kitchen in north end of building. No further information.
- 55. Single track RR line: standard Czechoslovak gauge, led from Zbuch to airfield. Source observed hauling of bricks, crushed rock and miscellaneous material. No further information.
- 56. Transformer unit: wooden shack, built around transformer unit, unpainted, three by three by eight meters. One door on north side of shack. No further information.
- 57. Automotive repair garage: green wood, 100 x 30 x 8 m., tar paper gable type roof. Source heard about 50 airmen and a few civilians worked in garage. Working hours ranged from 0600 to 1500 hours, skeleton crew worked through night. about nine section sliding doors on east side of building. No further 25X1 information.
- 58. Auxiliary technical battalion: single story, green wooden building, five by five by three meters, tar paper gable type roof. 25X1 One door on west side of building. labor battalion men with green uniforms and black shoulder boards with no rank. Number of men unknown.
- Auxiliary technical battalion (Pomocny Technicky Prapor -- P.T.P):
 single story, green wooden building, 50 x 30 x 4 m., tar paper
 gable type roof. Contained mess hall and canteen for personnel
 of labor battalion. One door on west side and one door on east
 side of building. No further information.
- 60. Auxiliary technical battalion (P.T.P): single story, green wooden building, 30 x 10 x 4 m., tar paper gable type roof, one door on south side and north side of building. No further information.
- 61. Auxiliary technical battalion: same as (Pt. 60, above.)
- 62. Auxiliary technical battalion: same as (Pt. 60, above.)
- 63. Auxiliary technical battalion (P.T.P.): single story, green wooden building, 20 x 10 x 4 m., tar paper gable type roof. One door on south side of building. No further information.
- 64. Auxiliary technical battalion: same as (Pt. 63, above.)
- 65. Auxiliary technical battalion: same as (Pt. 58, above.)
- 66. Auxiliary technical battalion: same as (Pt. 63, above.)
- 67. Auxiliary technical battalion: same as (Pt. 63, above.)
- 68 A,B,C,D. Four barracks buildings: single story wooden, painted green, tar paper gable type roof, 50 x 12 x 4 m. Pt. 68 A,B buildings



-7-

billeted the 20th Airfield Battalion personnel. Pt. 68C building contained offices. Pt. 68D building was empty. No further information.

- 69. Motor pool: 100 m. long, 100 m. wide, maintained vehicles of the 20th Airfield Battalion only. Barbed wire fence, two meters high, bordered motor pool. Area illuminated at night.
- 70. POL tank: same as (Pt. 51, above.)
- 71. Military gas station: single story, green wooden, five by three by four meters, tar paper gable type roof. Two pumps on north side of station house, two or three airmen worked 24 hours a day. No further information.
- 72. Line road: asphalt, five meters wide, good condition. From main gate (Pt. 87, Encl. 2) to Line, a distance of two kilometers.
- 73. Nova Ves road: asphalt, four meters wide, good condition, led from Nova Ves to Line road (Pt. 72, above.)
- 74. Control and watch tower: green stucco brick building, 8 x 8 x 15 m., with a tapered glass enclosure six by six by two meters. Spot light and machine gun mounted together on top of tower. One guard on duty four hours, off eight hours. No further information.
- 75. Fire house: single story, green stucco brick building, 25 x 10 x 5 m., housed two fire trucks. Water capacity of fire trucks about 2,000 lit. apiece. Four airmen assigned to a truck, one truck belonged to 14th Airfield Battalion. To which airfield battalion the other truck was assigned was unknown. Fire trucks were used as crash equipment only. No further information.
- 76. Apron: concrete, 100 m. long, 15 m. wide, 30 cm. thick. Used as parking area for jet aircraft before completion of construction of hangars (Pt. 80 B, 80 C, Encl. 2). No further information.
- 77. Airfield road: asphalt, four meters wide, good condition.
- 78A. Apron: concrete, 150 m. long, 30 m. wide, 30 cm. thick, good condition. Used for parking jet aircraft -- 50 to 55 Soviet and Czech type MIG*15's and four Soviet YAK-11's.

 On mild days aircraft maintenance was performed on apron. No further 25X1 information.
- 78B. Apron: same as (Pt. 78A above.)
- 78C. Apron: under construction in July of 1953. No further infor-25X1
- 79. Apron: concrete, 100 m. long, 15 m. wide, 30 cm. thick; parked jet aircraft. No further information.
- 80A. Hangar: white stucco brick building, steel girder construction, 100 x 40 x 10 m. gray timplate folding type doors extending along the east side of hangar. Wooden tar paper shed type roof. Housed about 50 to 55 jets. Contained tool crib, machinery and tools for light maintenance in hangar. Hangar had one crane for engine change purposes. On bright days maintenance was done outside of hangar on apron (Pt. 78A, Encl. 2). One jet aircraft



-8-

was crewed by one crew chief and maintained by three or four airmen. Aircraft within hangar were assigned to the 5th and 8th Fighter Regiments. No further information.

- Hangar: same construction and dimensions as (Pt. 80A, above). 80B. Housed only sixteen jet aircraft from the 16th Fighter Regiment. hangar was not complete and that only half of 25X1 hangar may have been used. No further information.
- Hangar: under construction which started in summer of 1953 and had not been completed. Dimensions and construction unknown. 80C.
- Aircraft refueling tank: steel tank, dirt covered, two by two meters, with a 20,000 lit. fuel capacity.
- 82. Aircraft refueling tank: same as(Pt. 81, above.)

25X1

- Taxi-strip: concrete, 120 m. long, 10 m. wide, 30 cm. thick, good condition.
- Concrete platform: concrete floor 100 m. long, 50 m. wide, 30 cm. thick, which was to have been hangar. However, plan was 84. discarded because drainage was poor and water remained. Consequently, this floor was used for stocking sheet metal. Ten men worked in this area daily.
- 85A. Drainage ditch: 2.5 m. wide, constructed of rock. 25X1

 water drained from airfield area, leading about 300 m. 25X1

 northwest to lake (Pt. 85B, Encl. 2). No further information.
- 85B. Lake.
- Civilian dependent quarters: four single-story green wooden buildings, six by four x three meters, Source stated there could 86. be more single family dependent quarters in same area. No further information.
- 87. Entrance from Line: description same as (Pt. 29, above).
- Entrance from Nova Ves: description same as (Pt. 29, above).

 all the gates at the entrances (Pt. 29, 87, 25X1 88, Encl. 2) were to be charged with electricity.
- 1. BASIC AIRFIELD INFORMATION:
 - a. Line Airfield
 - No alternate names
 - Czechoslovakia
 - Coordinates: /N 49-41, E 13-177
- LOCATION: 2.
 - Two kilometers south-southeast from Line, $\frac{1}{2}$ kilometer southwest of Nova Ves, and one kilometer northwest of Dobrany. Two kilometers east of main highway (Pt. 1, Encl. 1) and two kilometers northwest of Radbusa River (Pt. 3, Encl. 1).
- 3. DIMENSIONS:
 - Four kilometers long by four kilometers wide, extensibility probably for one runway in southeast direction.
 - Square shaped.
- SKETCHES: Reference to Encls. 2, 3, and 4.



25X1

5.	RUNWAVS	AND	SURFACES:
<i>.,</i>	TIONNELD		

- a. Reference to Pt. 9, Encl. 2.b. Reference to Pt. 6, Encl. 2.
- c. Level airfield area with slight dip in center of runway and taxi-strip (Pt. 6 and 9, Encl. 2). Mostly sodded grass area with a few sand and gravel areas; airfield area absorbs rain, with the exception of area around (Pt. 84, Encl. 2). Concrete drainage ditches around runway and taxi-strip (Pt. 6, 9, Encl. 2), leading to draining outlet (Pt. 85, Encl. 2). Altitude 350 m. above sea level.

AIRCRAFT DISPERSAL POINTS:

- Jets in hangars (Pts. 80A, 80B, Encl. 2) plus aprons (Pts. 78A, 78B, Encl. 2), plus (Pts. 8, 10, 79, 82, Encl. 2).
- None.
- None.

CONSTRUCTION AND IMPROVEMENT:

- a. Airfield surface in good condition.
- Runway good construction.

Buildings good condition, newly constructed.

Technical devices: newly built airfield and was 25X1 being kept in good condition. buildings were still being con- 25X1 in July 1953. 25X1 more might be under construction at present time.

25X1

OBSTRUCTIONS:

- Hills, ten kilometers to east across Radbusa River (Pt. 3, Encl. 1), height unknown.
- Power lines leading to Line Airfield along (Pts. 17, 19, 30, 72, **73, E**ncl. 2).
- Trees located at western part of Line Airfield ten to fifteen meters high.
- Chimneys: None.
- No buildings obstructed Line Airfield.
- No other obstructions.

TECHNICAL FACILITIES:

25X1 Telephone and telegraph: 25X1 telephones in most buildings on airfield, civilians as well as airmen placed calls to and from airfield. Czech type telephones.

Weather station, none observed by Source.

Line Airfield used 220 volts and had transformer 25X1 unit (Pt. 56, Encl. 2) on airfield. Signaling devices and landing aids: e. |red rockel25X1 flares used as ready signal for jet aircraft and for standby.
MIG-15 and C-47 type aircraft, on this airfi 25X1 f.

engine changes, sheet metal work and minor aircraft repairs were performed at this airfield. g.

h. None.

10. SUPPLY:

- Fuel was transported by tank car on SRR spur (Pt. 49, Encl. 2). Fuel from tank cars was transferred to refueling tank trucks, 25X1 then to aircraft. storage or refueling tanks (Pts.
- 51, 81, Encl. 2) may be in operation at present time.
 Water tank refer to (Pt. 39, Encl. 2). Main water pipe line was under ground to Line Airfield (Pt. 5, Encl. 1) from resevoir at Dobrany. Direction of main pipe line was west from Dobrany along south end of runway (Pt. 9, Encl. 2) to Line Airfield. In addition, drinking and cooking water was also delivered by tank trucks from PLZEN thirteen kilometers northwest of Line Airfield.



-10-

c.	Weapons for	airmen ar	nd officers	such a	as rifles	and pistols	were
			ersonnel; 20				as
	stored at a	mmunition	storage (Pt	. 15,	Encl. 2).	1 :	

No other.

11. BUILDINGS:

- Three hangars (Pts. 80A, B, C, Encl. 2) 100 m. west of taxi-strip (Pt. 6, Encl. 2). Good condition.
- Workshops for aircraft maintenance located in hangars (Pts. 80A, Sheet metal area refer to (Pt. 84, Encl 2). B, Encl. 2).

Reference to (Pt. 74, Encl. 2).
Reference to (Pts. 27, 34, 36, 37, 42, 68, Encl. 2).
Reference to (Pt. 28, Encl. 2).
Reference to (Pt. 41, Encl. 2), major operations performed at Plzen.
Reference to (Pt. 41, Encl. 2).
Reference to (Pt. 41, Encl. 2).

two storage places known at (Pts. 80A, B, Encl. 2). Source stated

No other information.

- TRANSPORTATION FACILITIES: Reference to (Pts. 17, 72, 77, 49, 55, 73, Encl. 2).
- 13. ADMINISTRATION AND PERSONNEL: Airfield run by military personnel. Commanding Officer of Line 25X1 Airfield Lt. Colonel BILEK

25X1

Personnel strength about 2,500 men.
Blue uniforms with light blue shoulder boards, did not carry 25X1 weapons. Personnel consisted of Czechs, Slovaks, Hungarians, etc.

daily flying activity, formation flying from two to six planes, from 0600 hours to sundown. Date of observation from June 1952 to July 1953. No civilian aircraft observed.

14. METEOROLOGICAL FACTORS:

25X1

Operational all year, rainy season in the spring did not interfere with flying activity. Snow did not hamper operations. Usual snow fall was 10 cm. Icing conditions prevailed from November to March.

DEFENSE INSTALLATIONS AND PRACTICES: 15.

Reference to (Pts. 4A, C, D, Encl. 2) AA gun positions (Pts. 4B, E, Encl. 2) believed to be in operation at present time.

Source did not observe any warning devices.

Grass and mesh net over antiaircraft gun positions (Pts. 4A, C, D, Encl. 2) for camouflage purposes.

d. no air raid shelters. 25X1

16.

25X1 Types of aircraft observed were MIG-15 Soviet and Czech type, Soviet YAK-11, the ARADA and the HEINKEL German type. Aircraft nor-25X1 mally were parked in hangars (Pts. 80A, B, Encl. 2), aprons (Pts. 78A,B, Encl. 2) and aprons (Pts. 76, 79, Encl. 2).

Number of each (approximate): MIG-15's -----70 each YAK-11 ARADA -----l0 each HEINKEL


SECRET

(25)




-11-

Enclosure 1, Overlay of GSGS 4416, Sheet U-7, Furth 1:100,000 Pinpoint Location of Line Airfield










-13-

Enclosure 3:

Sketch of Mobile Radio Unit



SECRET



Approved For Release 2008/10/28 : CIA-RDP82-00046R000200240002-1

SECRET

-14-

Enclosure 4

Sketch of U Shaped Building 25X1

